



See back page for store locations

WWW.TRADESMART.NET.AU

8 JANUARY - 31 MARCH 2024

BACK TO WORK ESSENTIALS

P/N: M18FPP4D36O2B W/BONUS M18™ REDLITHIUM™-ION 5.0AH BATTERY (PN: M18B5) M18 FUEL™ 4 PIECE POWER PACK 4D3 TRADESMART EXCLUSIVE KIT

- M18 FUELTM 13mm Drill/Driver (Tool Only)
- M18 FUEL™ 1/4" Hex Impact Driver (Tool Only)
- M18 FUEL™ 125mm (5") Angle Grinder (Tool Only)
- M18 FUEL™ 1/2" High Torque Impact Wrench w/ Friction Ring (Tool Only)
- Other Accessories Included







P/N: AA362W6 W/BONUS MITRE TABLE ATTACHMENT AA362 LINISHER WITH 6" GRINDER

- 360° no tools rotation
- Watts: 280 Volts: 240 Amps: 1.8
- 915x50mm 240 grit Belt
- 175mm diameter 100 grit Disc

TradeSmart

\$54000 **GREAT BUY!**

GREAT BUY!




Abbott & Ashby.

MITRE TABLE ATTACHMENT

SUPPORT LOCAL

P/N: SM23ST W/ BONUS LIQUID GOLD 120ML CUTTING FLUID 23 PIECE ONSITE + IMPACT STEP TIP DRILL SET



- jamming or binding Fast, accurate drilling 6x FASTER than
 - the benchmark competitor jobber drill 135° split point cuts faster & reduces wandering







P/N: K69072-1E W/BONUS HELMET, GLOVES & ACCESSORIES BOX
POWERCRAFT 191C 3-IN-1 MIG WELDER

- MIG/STICK/DC TIG Welder
- 190Amp/10amp EZYSET™ technology & LCD Screen





SHOP SMART = BUY SMART!

HAND TOOLS

sutton

Superior Since 1917

Self-Adjusting Locking Pliers make jobs faster and easier.



S6100 P/N: L2100250

250mm Curved **Jaw Automatic Pliers**

48mm Jaw Width



S6100 P/N: L2110250

250mm Straight **Jaw Automatic Pliers**

· 35mm Jaw Width

Reversible

to create a spreader



S5100 P/N: L2120175

175mm Long **Nose Locking Clamps**

· 63mm Jaw Width



S6500 P/N: L2130175

230mm Locking **C-Clamp**

62mm Jaw Width

EXTRA HEAVY DUTY TRIGGER CLAMPS



Cast alloy construction

Very strong 350kg clamping pressure Head can be reversed to

create a spreader · Removable soft pads 152 x 95mm \$**72**^{.00}

EC-TC6

305 x 95mm

\$**75**.00 GREAT VALUE! GREAT VALUE! EC-TC12

457 x 95mm \$**79**.00

GREAT VALUE! EC-TC18

610 x 95mm

s**85**.00 GREAT VALUE! EC-TC24

FORGED STEEL

- Tempered & hot forged steel
- Nickel & chrome plating Hardened Acme spindle
- Swivel pad ensures even pressure is applied



100 x 50mm Force: 900kg

\$**69**.00 GREAT VALUE!

EC-BC4

150 x 75mm Force: 1000kg

\$**82**.00 GREAT VALUE! EC-BC6

200 x 100mm Force: 1000kg

\$99.00 GREAT VALUE! EC-BC8

250 x 115mm Force: 1200kg

\$1**29**^{.00} GREAT VALUE! EC-BC10

Sterling





165mm Black Panther Gen II Cable Cutters

Quality Japanese 420J2 stainless steel

Ideal for cutting and stripping copper and aluminium cable up to 15mm diameter



200mm Black Panther Gen II Industrial Snips

8" Long cut industrial snip

Ideal for various applications including: Wire, aluminium, sheet metal, carpet and more

Anti-slip ridges for extra grip

32⁹⁵



185mm Black Panther Red Hi Tensile Industrial Snips 7" red handled industrial snip

- High tensile Stainless Steel serrated edge blades for superior durability
- Ideal for wire, Kevlar®, etc.



185mm Black Panther Round **Points Industrial Snips** 7" orange handled industrial snip

With rounded tip blades for

- extra safety
- Ideal for multiple applications from thin wire to Kevlar®

sutton

Superior Since 1917



10pc Hex End Short L-Wrench **Imperial Wallet Set**

 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8'



10pc Hex End Short L-Wrench **Metric Wallet Set**

1.3, 1.5, 2, 2.5, 3, 4, 5, 6, 8 and 10mm



S3495 P/N: BD12199

9pc L-Wrench **Hex End Set**

 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm



\$5600 P/N: BD14199

9pc Ball End L-Wrench Set

1.5, 2, 2.5, 3, 4, 5, 6, 8.10mm +Screw Grab Friction Drops 15ml



Needle-Nose Combination Pliers

- Powerful combination pliers with pointed jaws
- Cutting capacity: Med-hard wire: Ø 3.8mm, Hard wire: Ø 3.0mm Multi-stranded CU & AL cable: Ø 13mm / 25mm²



HAND TOOLS



- > 6 3/8" Drive Socket Accessories
- > 7 Metric Combination Spanners: 8 15mm & many more
- 33 Piece General Bit & Holder Set & many more



- 5 1/2" Drive Socket Accessories
- > 11 Metric Combination Spanners: 8 19mm & many more
- 3 TorqueMaster® Screwdrivers & many more



150 Piece 1/2" **Drive Auto Bmc Kit Met**

PN: K1870



- 19 Metric 1/2" Drive Sockets: 8 32mm
- 12 Metric 1/2" Drive Deep Sockets: 8 24mm 9 1/2" Drive Socket Accessories & many more
- 14 Metric Combination Spanners: 8 24mm & many more

SIDCHROME 69 PIECE 3/8" SOCKET AND **SPANNER SET**



- . 10 metric socket & 9 af sockets
- 10 x metric ring & open end spanners
- Comes in blow moulded case

SIDCHROME 68 PIECE 3/8" MET/AF SOCKET AND SPANNER SET



FEATURES

- 31 standard & 17 Deep sockets
- 12 Ring & Open End Spanners (8–19mm)
- 8 Socket Accesorries & more

SIDCHROME 23 PIECE METRIC 1/4" DRIVE PICO SOCKET SET



- drive multi-set socket & screwdriving tool sets ideal for all-round use
- 5 Metric Sockets (6–13mm) . 15 insert bits & more accessories

59PCE 3/8" DR 6-POINT SET

6 PIECE RING AND OPEN END **SPANNER SET**



22mm, 24mm, 27mm, 30mm, 32mm

\$369.00

GREAT VALUE

1/2"

- Torqueplus fastening system
- Chrome Vanadium construction

40PCE 1/2" DR 12-POINT SET

· Antislip fastening system

53PCE 1/4" DR 6-POINT SET



- 14 Piece Metric: 4-15mm Std. & Deep
- 10 Piece Imperial: 3/16 9/16" Std. & Deep
- 150mm Wobble Spinner Handle 72 Tooth Ratchet Handle
- 50 & 150mm Extension Bar
- 150mm Wobble Spinner Handle

19PCE NUT & BOLT

Blow-mold Case

35PCE 3/8" DR 6-POINT SET



- 16 Piece Metric Std. 7-22mm
- 16 Piece Metric Deep 7-22mm
- 72 Tooth Ratchet Handle
- 75 & 150mm Extension Bar
- Blow-Mold Case

EXTRACTOR SET

DUALACTION.COM.AU

- Sockets Std. 7-22mm & 5/16-1*
- Sockets Deep 7-22mm & 5/16-1"
- Ratchet 72 Tooth Low Profile
- 75 & 150mm Extension Bar




\$279.00









PART NO. 14244001

· 24 Tooth Ratchet Handle with Quick Release Button

7PCE TORX IMPACT DRIVER

15 Piece Imperial: 3/8" - 1-1/4" - Std.

• 18 Piece Metric: 10-32mm - Std.

- 14mm, 16mm, 21mm Magnetic Spark Plug Socket
- · Blow-Mold Case

BITS SET

5PCE NUT & BOLT



- 1/4", 5/16" (8mm), 3/8", 10mm, 7/16" (11mm), 12mm,
- 1/2", 13mm, 9/16" (14mm), 5/8" (16mm), 17mm, 11/16"
- 3/4" (19mm)
- 1/4" Hex Drive Extractor Sockets
- 5mm, 6mm, 5/16" (8mm), 10mm, 12mm

1/4 Hex to 3/8 SQ Adapter: 50mm



- 10mm, 12mm, 13mm, 9/16" (14mm), 5/8" (16mm)
 - **SURETORQ**

27PCE MINI RATCHETING WRENCH & BIT SET

DUAL ACTION



PART NO. 04102703

- Insert Bits 25mm • Phillips #1, 2 (x2), 3
- · Torx T8, 9, 10, 15, 20, 25,
- 27. 30. 40 Hex H3, 4, 5, 6
- Slotted #10x5.5,1.2x6.5
- Sockets 25mm • 6,7,8,10,13mm Adapter: 25mm
- Quick Change Adapter: 65mm
- Ratchet: 90mm





Power Bits: 150mm Torx T10, 15, 20, 25, 27, 30, 40



SURETORQ.COM.AU



\$29.95

A family business built upon

TRUST, INNOVATION QUALITY & RELIABIL



HOT DEALS STOREWIDE!

HAND TOOLS

NYLON HAMMER WITH PLASTIC HANDLE

- · Worn faces can be quickly replaced BY HAND providing minimum down time.
- All faces are one-piece mouldings.
- There are no metal pegs which can damage the workplace when worn
- · Serrations in the metal head prevent faces loosening in use
- · Faces have a shoulder for extra strength and to prevent fracture from misdirected blows.

Tasks: UPVC, Window Manufacture & Installation, Brewery Furniture, Shop fitting & Partitioning

Trades/Industries: Construction, Crafts or DIY. Also Available:

TH710 - 445g 32mm Face (1lb) \$64.95

TH712 - 650g 38mm Face (1-1/2lb) \$69.00

TH714 - 850g 44mm Face (2lb) \$72.00

TH716 - 1230g 50mm Face (2-3/4lb) \$99.00

COPPER HAMMER WITH WOODEN HANDLE

- · Cast-Iron head of extra heavy construction fitted with two electrolytic copper faces and wood
- · Ideal for Heavy-duty hammering where SAFE blows of maximum weight are required.



Also Available:

TH310 - 830g #1- 32mm Face (2lb) \$119.00

TH312 - 1260g #2- 38mm Face (2-3/4lb) \$149.00

TH314 - 1940g #3 - 44mm Face (4lb) \$199.00

TH316 - 2830g #4 - 50mm Face (6-1/4lb) \$299.00

Tasks: Automotive Assembly & Repair

Trades/Industries:

Construction, Metal work, Crafts, Agriculture/forestry, Maintenance/Repair/Overhaul.

Made Tough Since 1936

MUMME (M) TOOLS

mummetools.com.au



1900







Made Tough Since 1936

MUMME (M) TOOLS

mummetools.com.au







Alloy Cold Chisel Set

- > Set Components: 12mm, 16mm, 20mm, 22mm, 25mm
- Includes durable zip wallet to keep the full set organised

SKU: 5ACSET5







- 30 Piece Combination Spanners EVA Tray
- 8 Piece TorqueMaster® Screwdriver Set & many more



- 277 Piece 5 Drawer 29"
- 100 Piece LOK-ON™ Sockets & Accessories EVA Tray
- 30 Piece Combination Spanners EVA Tray
- 115 Piece TorqueMaster® Screwdrivers & Fastening EVA Tray & many more



LADDERS & SCAFFOLDING



AUSTRALIA'S MOST TRUSTED LADDER





NEW

ALSO AVAILARLE

SM003-HD (0.9M/3FT) \$159



GORILLA ALUMINIUM EXPANDA SCAFF

The Expanda Scaff incorporates a unique

design that allows you to expand up and out by adding additional free standing core packs, making it incredibly versatile.

ALSO AVAILABLE

GS-02 SCAFFOLD OUTRIGGER PACK \$459 GS-03 SCAFFOLD JOINER PACK \$428

SMO06-HD (1.8M/6FT) \$339 SM010-HD (3.0M/10FT) \$829 SM012-HD (3.6M/12FT) \$989





NEW

PL002-HD (0.6M/JFT) \$395 PL004-HD (1.2M/JFT) \$499 PL005-HD (1.5M/JFT) \$569 PL010-HD (3.0M/10FT) \$1,599 PL012-HD (3.6M/12FT) \$1.799



FORMWORK PROPS GALVANISED STEEL

Gorilla Formwork Props are a must for almost every building site. The adjustable load bearing product is ideal for supporting

ceilings, walls and other structures. PROP-120 WLL: 2300kg (1.2m) 2600kg (1.8m) PROP-120 WLL: 2500kg (1.2m) 2600kg (1.3m) PROP-198 WLL: 3000kg (1.98m) 1400kg (3.35m) PROP-230 WLL: 1300kg (2.3m) 2600kg (3.35m)

ALSO AVAILABLE Prop-120 (1.2-1.8M) \$106 Prop-230 (2.3-3.8M) \$181



- Complies with AS 1892 standards
- 150kg safe working load



2 STEP LADDER

810mm ladder height

P/N: CSL200



3 STEP LADDER

1275mm ladder height



4 STEP LADDER

1500mm ladder height

SINC GST P/N: CSL400

RICHMOND

GS-01A RISER PACH

200MM TUBE TYPE SCAFFOLD CASTOR



- Polyurethane Tyred Cast Iron Centred
- 700kg load capacity



200MM ADJUSTABLE THREAD TYPE SCAFFOLD CASTOR



200MM POLYURETHANE TYRED NYLON **CENTRED WHEEL**



- Suits scaffold castors
- 700kg load capacity

INC GST P/N: PU8079-75

RICHMOND





HYDRATION & SAFETY

SHOP SMART = BUY SMART





SSSFMIX

99% SUGAR FREE SOLO SHOTS -MIXED FLAVOURS

- 99% sugar free, caffeine and gluten free
- Proprietary electrolyte formula inc. Sodium, Potassium and Magnesium
- Available in 5 delicious flavours Blue Lemonade, Lemon Lime, Orange, Tropical and Wild Berry

THORZT



\$3295

DC05B

5L DRINK COOLER -

- Dual screw top lid to give wide access for ease of cleaning and filling with ice
- Easy pour spout, detachable drinking cup (400ml)
- Recessed push button tap to protect and



BOSTON TRUCK WASH BLUE 20LT

- Specially formulated for heavy-duty cleaning.
- Removes road grime, grease, & dirt.

\$**79**.00

GREAT VALUE!

\$199.00

\$54.95



PACER PO8 WAX & GREASE REMOVER 20LT PN: PWGR20

- Removes wax, grease, oils, and other contaminants from surfaces.
- Provides a clean surface for better adhesion of paint or coatings.
- Suitable for various applications, including automotive refinishing and general cleaning.

PACER



SEPTONE PROTECTA GRIT HAND CLEANER 20KG PN: IHPG20

- Waterless, solvent based.
- Removes ingrained dirt & grime.
- Contains skin conditioners & moisturisers.



SEPTONE PROTECTA GRIT HAND CLEANER 4L PN: IHPG



SEPTONE

SEPTONE PROTECTA PINK HAND CLEANER 20KG PN: IHPP20

- Contains skin conditioners & moisturisers.
- Cleans dirt, oil & grime.
- Waterless



\$**49**.95

SEPTONE PROTECTA PINK HAND CLEANER 4L PN







Ready 2 Weld Kit

CleanAIR AerGO & Omnira **COMBI Welding Helmet in** premium duffel bag

- An advanced built-in air distribution system with the highest standard in respiratory protection TH3 / NPF 500
- Outer control of the direction and intensity of the air in the helmet.
- Newly designed head suspension allows multiple
- individual settings. True colour ADF with the highest optical quality 1/1/1/1
- Fast and easy replacement of all spare parts
- Grind mode function
- Lightweight and durable

Maxisafe **Adjustable Lead** Stand Prevents electrical and trip hazards

- Thumb screws on assembly and adjustment
- Extendable 1.5M to 2.6M - Simple robust design

CODE: BLS731

Stainless Steel Safety Shower & Eyewash (Complete Unit) dard: EN 15154-1&2 AS 4775:2007 ANSI Z358.1-2014

sutton

Black

- Professional Reference Tools for Engineers, Designers, Makers and Creative thinkers.....
- Matt laminated grease proof pages
- · Wire bound to stay flat on workbench

Size	Item#	Price Inc. GST
Engineers Black Book - 3rd Edition	L100 V3EN	\$69.95
Engineers Black Book - Large Edition	L103 V3EN	\$99.00
Electrical Black Book - 2nd Edition	L300 V2EN	\$69.95
Fasteners Black Book - 1st Edition	L200 V1EN	\$69.95
Fasteners Black Book - Large Edition	L203 V1EN	\$99.00





SAFETY

HEIGHT SAFETY & FALL PROTECTION EQUIPMENT

/B-Safe

B-SAFE TRADIE ROOFERS KIT

Code: BK061215TRAD

KIT CONTAINS THE FOLLOWING:

- Fall Arrest Harness
- Rope Safety Line 15m Kernmantle Rope fitted with double action self-locking hook at one end with manual rope adjuster and energy absorber
- 1.5m attachment strap 25mm web rated for 1 person
- BSK0003-16 Alloy Steel Twist Lock Karabiner x2
- B-Safe Backpack



\$24**9**.00 SPECIAL PRICE

B-SAFE PROFESSIONAL ROOFERS KIT

Code: BK061015PR0

KIT CONTAINS THE FOLLOWING:

- Fall Arrest Harness
- Rope Safety Line 15m Kernmantle Rope fitted with double action self-Locking hook at one end and manual rope adjuster.
- BP03102 2m attachment strap 25mm
- BL01112PR0-ADJ 2m adjustable webbing shock absorbing lanyard with Snap Hooks 50kg-140kg Rated.
- Alloy Steel Twist Lock Karabiner
- Suspension Trauma Straps
- B-Safe Backpack



\$345^{.00}

B-SAFE FALL ARREST HARNESS WITH WEB LANYARD

CODE: BH01112

- Lightweight and comfortable
- 2m web shock absorbing lanyard permanently attached to the rear D ring
- Fully adjustable leg, shoulder, chest & waist straps
- Side D rings for pole strap
- Frontal fall arrest loops

FRONTIER

Complies to AS/NZS 1891.1



\$395.00

MACK

PERSONAL PROTECTIVE EQUIPMENT

NINJA HPT GRIPX GLOVES

Code: NIGRPXHPT

- Provides superior grip in wet and oily environments
- Highly flexible coating andbreathable nylon liner offers all-day comfort
- Vibration absorption
- Available in Black and Hi Vis



GREAT VALUE

FRONTIER COWHIDE RIGGER WORK GLOVE

Code: FRRIGPREMBE

- · Elasticised wrist
- · Length: 250mm
- Wing thumb allows better open hand pulling and rabbing
- Premium - A/B grade beige





SPECIAL PRICE

CODE: ERZ395

FRONTIER BROAD BRIM **VENTED HARD HAT WITH** RATCHET HARNESS

Code: FRTGBB57RWW0000

- Premium 6 point comfort harness
- Rear ratchet wheel for single hand fit adjustment

NINÎA

- Extra wide brim to assist with sun and dirt/dust protection
- Integrated vents improve GREAT VALUE air circulation

MACK OCTANE ZIP SAFETY BOOT

Black: MKOCTANEZBBF | Honey: MKOCTANEZHHF

Zip closure provides easy access and a quick exit in emergencies



ma // isafe

there's safe and there's Maxisafe.



The Rayzr Protective Eyewear Range keeps your eyes protected all day, every day. Whether you're on the job, at home or relaxing on the weekend, Rayzr provides the most stylish & comfortable protection on the market.

Certified to AS/NZS 1337.1:2010 & ready for the worksite. Medium impact rated, making sure you're protected.

The Ultra-lightweight frame combined with TPR rubber nosepiec and arms makes the Rayzr easy and comfortable to wear 24/7. Anti scratch, anti-fog and designed for all face types.



G-Force Cut 5 TPR Glove

Unique TPR Impact Protection on fingers and back of hand for ultimate flexibility and comfort

15 gauge exclusive lining technology delivering the thinnest and finest cut 5 nitrile glove on the market



SIZES GBX280-07 (S) GBX280-08 (M) GBX280-06 (M) GBX280-09 (L) GBX280-10 (XL) GBX280-11 (2XL)



Maxisafe Economy Full **Grain Rigger Glove**

- Genuine goat full grain leather
- Wing thumb for stitch free palm - Certified to: EN388:2016 3.1.2.2.X

\$4 95 A PA **GREAT VALUE!**

SIZES GRG152 (XL)





FRONTSIDE SAFETY GLASSES REGULAR LENS

- CERTIFIED TO AS/NZS 1337.1:2010 PERSONAL EYE PROTECTION.
- MEDIUM IMPACT RATED

FEATURES & BENEFITS -

- AQUASHIELD PERMANENT HYDROPHILIC ANTI-FOG LENS COATINGS.
- \$6495 FRONTSIDE

FRONTSIDE SAFETY GLASSES POLARISED LENS

- FLEXIBLE ARMS ENSURE LOW CLAMP FORCE REDUCING TEMPORAL PRESSURE.

- LOW PROFILE ARM TO AID IN USE WITH OTHER PPE
- UV400 100% UV PROTECTION (TINTED LENS).



WWW.TRADESMART.NET.AU

MEASURING. STORAGE & LIGHTING



BONUS LX25P RED BEAM ON ANY IMEX DIAL IN GRADE UNIT **VALUED AT** \$49900



IPL3TG PIPE LASER GREEN BEAM KIT



\$678900 012-IPL3TG


3TR PIPE LASER RED BEAM KIT



\$587900 012-IPL3TR

LASER RANGE FINDER

- Measure up to 1000m
- Up to .5m accuracy
- Inbuilt Lithium Battery
- Ideal for surveyors, golfers, hikers and agricultural



\$39900 008-LRF1000

AECUL

Professional Measuring Instruments

DIAL BORE GAUGE SET

GREAT VALUE!

INDICATOR 8
ADJUSTMENT MAGNETIC STANDS



Limit hands & Jeweled bearing

Range: 10 MM / 1" Accuracy: 20 µm / 0.004" Graduation: 0.01 MM / 0.001"

300 KG

P/N: AC-280-000-02

IMPERIAL P/N: AC-280-001-02 **150 MM OUTSIDE** MICROMETER SET

P/N: AC-321-006-06



Resolution: 0.01 мм Accuracy: 4 to 6 µm

REFRACTOMETER

Range: 0-10% Graduations: 0.2% Accuracy: 0.1%

P/N: AC-251-346-13

Range:

18-160 мм

Indicating range: 10 мм Graduations:

0.01 MM

P/N: MS20020K

Includes bins in your choice of red or blue: 72 x Small bins 32 x large bins

DOUBLE SIDED UNIT!

Stand Size: 740W x 560D x 1460H мм

P/N: NHD530

• Each drawer includes 2 моvable dividers and is acid & oil resistant



Max Draw capacity: Draw 20 kg Size: 980W x 410D x 1010H мм

P/N: HB4068B

\$69

30KG MAX LOAD!

· Includes removable folding lid.

50 LITRE

CAPACITY

 Made from impact resistant polypropylene. Size: 395W x 635D x 335H мм

Includes 2 Panels, 40 x HB210 Bins, screws & wall plugs.

WALLISTORGAGEIKIT

Compact Inspection Light

PN: K10303



- Magnetic 360° Swivel Base
- > IP20 Resistant
- Pocket clip

\$**289**.00

WI Charging Inspection Light & Torch Kit

PN: K10323



- > 3 Piece Kit
 - Wireless Charging Inspection Light
- Wireless Charging Torch
- **Dual Wireless Charging Pad**

Under Bonnet Work Light

PN: K10308







2000 Lumens

- 360° Rotating Light Bar
- Extendable from 117cm to 197cm
- IP20 Resistant







HOT DEALS | PRODUCT LAUNCHES | INDUSTRY UPDATES | HELPFUL HINTS

CHEMICALS, ADHESIVES & GAP FILLERS











www.crcindustries.com.au















www.crcindustries.com.au



∠Smx





T-REX POWER

Fast Grab:

- Beach Sand
- Bright White
- Jet Black Ouick Silver
- Steel Grey



T-REX POWER Turbo:

White



COLUMN !

T-REX POWER Crystal:

Crystal



290ML

\$14.95



SOUDAL

290ML

\$16.95 GREAT VALUE! 128371







GREAT VALUE!



ALL WEATHERFLEX Gap Filler:

- · Paintable in 30 mins Superior flexibility ±12.5%
- Weather resistant
- High crack resistance
- · Ideal for weatherboards



FILL & PAINT Gap Filler:

- · Paintable in 20 mins
- · 10% flexibility
- Non slump
- · Internal & external
- · Water cleanup



WET ON WET Gap Filler:

- · Paintable immediately
- Higher viscosity
- Internal & external
- · Water clean up
- · Minimizes cracking



ACRYL

Gap Filler:

- · Very easy to apply
- Colourfast and waterproof after curing
- · Paintable in 10 mins
- Very good adhesion on many porous surfaces and aluminium



White 300ML

\$4.95 GREAT VALUE!



\$3.45 GREAT VALUE!



300ML

\$5.25 GREAT VALUE!



White 80ML

\$4.95 124731

CHEMICALS & MARKERS HOT DEALS STORE W

GET 2 MPX Stubby Holders with each carton of 6 MPX 300gm aerosol

MPX





CF\PP-0300

Citra-Force

- Removes oil
- Carbon
- Grease
- Lanolin

MPX

- Penetrant >
- Lubricant
- Protects tools

(All Pricing includes gst)









NATURAL • ENVIRONMENTAL • SUSTAINABLE www.lanotec.com.au | www.youtube.com/LanotecAus







LANO

Heavy Duty

- Lubricant
- Corrosion protection
- Anti-seize

(All Pricing includes gst)













NATURAL • ENVIRONMENTAL • SUSTAINABLE www.lanotec.com.au | www.youtube.com/LanotecAus



















- Xylene-free, fast dry formula
- Reversable, heavy duty tips
- Bold, easy to read marks





- Reversable heavy duty tips
- Bold, easy to read marks

\$950



- · Waterproof marks
- Permanent Ink
- · i90 Ink Marker Black also available (P/N:12141201)



- **MARKAL PAINTSTIK B** · Long-lasting, weather and fade resistant
- Ideal for layout, colour coding, fabrication and identification
- · UV resistant



Dy-Mark

FLAWCHECK STEP 1 PRECLEAN 270G NET

- Dye penetrating visible inspection system
- Detects cracks and flaws in metals and castings





PENETRANT **350G NET** Dye penetrating visible inspection

system Fast, efficient and cost effective method





- **FLAWCHECK STEP 3** REMOVER 350G NET
- Dye penetrating visible inspection system
- Conforms to AS2062 TYPE 2 METHOD C







FLAWCHECK STEP 4 DEVELOPER 350G NET

- Dye penetrating visible inspection system
- Detects cracks and flaws in metals and castings







THE PERFECT DRILLING COMPANION

FOR ELECTRICAL, PLUMBING,

BUILDING AND DIY MARKING JOBS

\$14.95



SEALANTS, COMPOUNDS & ADHESIVES

Rapidstick |

8515 · FLEXIBLE BONDING FOR



- · Med strength gel for gaps up to .40mm
- · Fast curing for formed-in-place repairs
- · Excellent for pumps, thermostats, compressors & transmission housings

SIZE	PART#	INC. GST
50ml Tube	8515-50	\$22.95
250ml Tube	8515-250	\$95.00
300g Cartridge	8515-300	\$105.00

PRICED FROM... **GASKET SEALANTS** 2.95

MEDIUM STRENGTH GEL

-54°C TO +148°C

SEALS & FILLS IRREGULAR SURFACES

IMMEDIATE **LOW PRESSURE** RESISTANCE

8518 · SEMI-FLEX BONDING ON **CONTAMINATED SURFACES**

- Med strength gel for gaps up to .50mm
- · High oil, grease, and chemical resistance
- . Ideal for cast iron, steel, and aluminium flanges

SIZE	PART#	INC. GST
50ml Tube	8518-50	\$23.95
250ml Tube	8518-250	\$95.00
300g Cartridge	8518-300	\$105.00



Rapidstick THREAD SEALANTS

& COARSE FITTINGS

- · For all metal types, incl, s/steel, aluminium, & galvanised metals.
- Temps up to +204°C
- Contains PTFE
- · Colour: White

SIZE PART# 50ml 8567-50

8567 · HIGH LUBRICATION 8577 · POTABLE WATER & GASES

- · Soft setting paste
- · Class III methacrylate ester
- Contains PTFE
- Pressures up to 2,000 kPa
- · Colour: Yellow

SIZE PART# 8577-50 50ml

AGA CERTIFIED FOR GAS





Rapidstick RETAINING COMPOUNDS

HIGH GRADE • ALL ASSEMBLY TYPES

8609 · GENERAL PURPOSE & TIGHT GAPS

- · Close fitting parts, bushes, pulleys & gears
- Meets Mil Spec MIL-R-46082B Type 1

8680 · CONTAMINATED SURFACES

- For active metals & passive substrates
- Ideal for stainless steel & plated parts

 Tolerates mild grease & oil contamination

SIZE PART# 50ml 8609-50 50ml 8680-50



Rapidstick INSTANT ADHESIVES

COMPATIBLE WITH ROUGH, POROUS & ACIDIC SURFACES

FAST CURING, HIGH STRENGTH BOND



8401 · SURFACE INSENSITIVE

- Ideal for repair applications
- Medium viscosity
- Fills gaps up to .20mm



50g 8401-50 50g 8406-50

8406 · WICKING GRADE

- Rubber & metal bonding
- Low viscosity
- Fills gaps up to .05mm





Rapidstick THREADLOCKERS

TOLERATES MINOR SURFACE CONTAMINATION

8243 · BLUE

- · Medium & coarse threads
- · Plated parts & stainless steel
- Non-permanent bond
- · Fills gaps 6mm 20mm

8263 - RFD

- Large bolts & studs
- Active or passive metals
- · Permanent bond
- · Fills gaps up to 25mm

GREAT CONTROLLED FRICTION & TORQUE/ TENSION RATIO

SIZE P/N

50ml 8243-50 50ml 8263-50




SILICONE

SEALANT

ALL COLOURS \$**7**.95

RS-60 ALL-IN-ONE SILICONE SEALANT



- · Highly adhesive & extremely durable
- UV resistant
 Waterproof formula
- · Primed or un-primed surfaces

ANTI-FUNGAL

RESISTANT TO MOULD

NO FADING NO CRACKING NO SHRINKING NO ABRASION

Rapidstick

300ML CARTRIDGE

BLACK 8-RS60BK-300

CLEAR 8-RS60CL-300 GREY 8-RS60GY-300 SILVER 8-RS60SV-300

8-RS60WT-300 WHITE

CONSTRUCTION GRADE • LIFETIME PERFORMANCE



LIQUID-FIX

LIQUID-FIX CONSTRUCTION

ADHESIVE

- · Adheres to wet or dry timber
- · Weather & mould resistant
- Non-sagging with high adhesion
- Odourless Environmentally safe
- Low VOC content
 No toxicity

NON-FLAMMABLE



JUST LANDED!

Rapidstick

300ML CARTRIDGE BEIGE 8-RS50BG-300



HOLDS UP TO 597 PSI MEETS AUST STANDARD AS 2329-19











WELDING ACCESSORIES

PROMAX 500 'REVHEAD'

WELDING HELMET

- 7-year Warranty*
- · Super-Size viewing area: 98 x 87mm, with ultra-clear vision
- Dual Shade Range 5-8 / 9-13 plus grind mode to cover a wide range of welding processes
- 4 Arc Sensors for reliable arc detection & switching
- Light weight, comfortable & easy to use
- TIG welding down to 5 amps
- · Sensitivity: Adjustable low-high



Weldclass.

TIG GLASS CUP KITS

PLATINUM PX SERIES



\$9900

PX 17/18/26 **Standard Diameter**

INCLUDES:

- Storage Box Heat shield / insulator x 1
- Stubby wedge collet 1.6/2.4/3.2mm x 1 each
- Collet body / diffuser holder with o-ring x 1
- Diffuser / Gas lens with gauze 1.6/2.4/3.2mm x 1 each
- Glass nozzle x 2 Long back cap x 1
- Rare-earth all-metal tungsten electrodes 1.6/2.4/3.2mm x 1 each



PX 17/18/26 **Large Diameter**

INCLUDES:

- Storage BoxHeat shield / insulator x 1
- Stubby wedge collet 1.6/2.4/3.2mm x 1 each
- Collet body / diffuser holder with o-ring x 1

Weldclass.

- Diffuser / Gas lens with gauze
- 1.6/2.4/3.2mm x 1 each
- Glass nozzle x 2
- Long back cap x 1
- Rare-earth all-metal tungsten electrodes 1.6/2.4/3.2mm x 1 each

BT/TECMEN IEXP 950S FLIP FRONT WELDING HELMET







- · Large viewing area: 107x75mm
- 1 / 1 / 1 / 1 highest optical class
- See true colours with "ReaLens™ Technology"
- Dual Shade Range 5-8 / 9-13



- · Panoramic View
- · Quad Sensors
- · Easy Lift Up for Grinding

BOSSWELD MAP PRO-TORCH ADJUSTABLE





- · Simple one handed operation · Cast aluminium body
- · High intensity jet swirl flame enables maximum heat output for faster soldering and brazing
- · Locking trigger button keeps the torch lit for finger free use
- ${\boldsymbol{\cdot}}$ Fracture groove enhances safety in case the torch is dropped

BOSSWELD GASLESS GS MIG WIRE

- · Self Shielded Flux Core Wire
- · Suitable for Single Pass Applications
- · No Shielding Gas required
- · Smooth Arc action DC-
- · A5.20 E71T-GS



CODE	Bossweld MIG Wire	PRICE
200342	Gasless GS 0.8mm x 0.9kg	\$18.00 /spl
200343	Gasless GS 0.8mm x 4.5kg	\$59.00 /spl
200344	Gasless GS 0.9mm x 0.9kg	\$18.00 /spl
200345	Gasless GS 0.9mm x 4.5kg	\$59.00 /spl



SUPERMIG WELDING GLOVES

- Manufactured from premium cowhide leather
- Reinforced palm, thumb and knuckle guard with welted seams



\$7900



- Made from heavy duty cow split leather
 Stitched with Kevlar® thread to increase resistance to heat, cuts & abrasion

UM RED LEATHER

- Internal Pocket

- Stitched with Kevlar® thread
 Lined shoulders for comfort
 Made to Australian sizes



PROBAN HIGH VISIBILITY Welders Jacket \$12900

- Premium cowhide leather sleeves

- Rivets at stress points
- Double stitched with Kevlar® thread in stress areas
- Harness Compatible Flap on the back



PUREGAS

- Own your gas bottle
- No waiting exchange on the spot
 - Pay for the gas only
- No rental or lease fees
- No contracts or admin fees
- No hidden or low use charges

ARGON | ARGON MIX | OXYGEN | ACETYLENE | CARBON DIOXIDE | NITROGEN

WELDING & ACCESSORIES

ULTRA 250MST

MACHINE BUNDLE

- Made in Europe
- 250A max MIG output
- Welds up to 12mm Mild Steel (max MIG capacity)
- Fitted with 15A 240V plug*
- LCD display Interactive & easy to use
- Manual or Synergic MIG controls

FREE Promax 650 helmet and 136S stick welder valued at \$718



Weldclass.

FREE

ULTRA 210MST MACHINE BUNDLE

- Made in Europe
- 210A max MIG output
- Welds up to 10mm Mild Steel (max MIG capacity)
- Fitted with 10A 240V plug*
- Dual Input Modes: 10A plug (fitted) or 15A plug (optional) LCD display - Interactive & easy to use
- 26+ MIG Programs



FORCE 135ST

STICK / TIG WELDER

- 140A max output
- @ 20% duty cycle Weld with up to 3.2mm
- electrodes Fitted with 10A 240V plug
- 2.3kg super compact
- Adjustable Hot Start & Arc Force
- Generator Compatible min 7kva, ideal 8kva

INCLUDES:

- Earth lead 3m Stick lead 3m
- Shoulder strap



Weldclass.

MST

- 200A output, 15A plug
- · Multiprocess Welder
- · 30% @ 200amp duty cycle
- Digital LED display
- · DC TIG lift arc start
- · Suits D100/D200 spools
- 2T/4T Trigger Latching
- · Spool gun ready

P/N: 691181BUNDLE

BUNDLE CONTAINS

- · Wide View Urhan Welding Helmet Gemini 13 Electrode 3.2mm 5kg

STIBIX · 180A output, 15A plug

Weldclass.

- DC MMA & DC TIG welding
- · DC TIG lift arc start
- · Lightweight & portable
- · Stepless amperage control



· 150A output, 10A plug



P/N: 633130B0NUS

B055W









Powercraft® 200M 4-in-1 Multi-welder with BONUS Spool

Gun. 200-amp 240V input / 10amp multi-purpose 4 in 1 welder with EZYSET^{†M} technology & easy to use LCD Screen – the only welder you will ever need. BONUS K69083-1 Lincoln® Spool Gun LBT150 (3m) valued at \$369. Part Number: K69074-1PS



Powercraft® 206 AC/DC TIG Welder, Helmet & Accessories Kit. 200Amp output / 10amp input ACDC TIG Welder capable

of HF and Lift TIG AC/DC, TIG pulse AC/DC, TIG Spot, Stick Welding. BONUS Powercraft® Welding Helmet, TIG Welding Gloves & Accessories (RRP @ \$300). Part Number: K69079-1E



Powercraft® 191C 3-in-1 MIG Welder with BONUS Helmet & Accessories Box. The 191C (190Amp/10amp) is 3-in-1 MIG/ STICK/DC TIG Welder using a 10 amp power supply. The package comes with BONUS Powercraft Electronic welding helmet, gloves and accessories (worth over \$300 @ RRP). Part Number: K69072-1F

www.powercraft-lincolnelectric.com.au · The Welding, Cutting, Automation and Filler Metal Experts

LINCOLN



Viking™2450 ADVANCED Auto-Darkening Helmets

ADVANCED Auto Darkening Welding Helmet offers superior 4C® optics in true colour, all day comfort. Features new Digital User Interface & integrated LED light (Light Brightness: 65 Lumens) to improve productivity, quality and safety when welding. Lightweight at 440g.

Part Numbers: K3028-5 (Black), K3035-5 (Street Rod).



Welding Frame and Curtain

Modular frame (1.8m x 1.8m) designed to hold the Lincoln Welding Curtain which then provides protection for welding and grinding areas.

Products need to be purchased together (as per image) or can be purchased individually. Products sold separately. Part Numbers:

WP55-8166 (Welding frame), 03-0418 (Welding curtain).

www.powercraft-lincolnelectric.com.au · The Welding, Cutting, Automation and Filler Metal Experts

LINCOLN

FREIGHT CHARGES MAY APPLY

MATERIAL HANDLING

MATERIALS HANDLING

BEAVER

BEAVER 3S LEVER BLOCKS

- High quality Grade 80 chain, with guides to stop load jumping
- · Gears fitted with industrial roller bearings

CODE	DESCRIPTION	PRICE
GENERAL	PURPOSE	
506025	250kg x 1.5m Aluminum Gunmetal	\$145.00
506050	500kg x 1.5m Aluminum Gunmetal	\$219.00
HEAVY DUTY & COLOUR CODED		
506080	800kg x 1.5m White	\$229.00
506160	1.6t x 1.5m Violet	\$295.00





MATERIALS HANDLING



BEAVER 3S CHAIN BLOCKS

- · Heavy duty steel casing
- High quality Grade 80 chain & superior braking system
- · Gears fitted with industrial roller bearings

CODE	DESCRIPTION	PRICE
505025	250kg x 1.5m Grey	\$ 219.00
503103	1t x 3m Violet	\$ 179.00
503203	2t x 3m Green	\$ 249.00





BEAVER GRADE 70 TRANSPORT LOAD CHAIN KIT WITH HOOKS

- Grade 70
- Complies to AS/NZS 4344

PRICE
\$ 129.00
\$ 115.00
\$ 110.00

CODE	DESCRIPTION	PRICE
409003	7mm x 6m, Regular Grab Hooks, LC 3000kg	\$ 129.00
401003	8mm x 6m, Regular Grab Hooks, LC 3800kg	\$ 115.00
400903	6mm x 9m, Winged Grab Hooks, LC 2300kg	\$ 110.00
411003	7mm x 9m, Winged Grab Hooks, LC 3000kg	\$ 129.00
145128	8mm x 9m, Winged Grab Hooks, LC 3800kg	\$ 95.00

STEEL TRAY WHEELBARROW

- 100L volume
- 200kg load capacity
- Pneumatic wheel

PLASTIC TRAY WHEELBARROW

- 100L volume
- 150kg load capacity
- Plastic centred pneumatic wheel



2 & 3 SHELF STOCK PICKER TROLLEYS

- 945mm(L) x 650mm(W) x 750mm (H) platform dimensions
- 250kg load capacity



SAFETY STEP

- · 250kg capacity load
- Indented steps on all four sides





ROLLING SAFETY STEP INSERT


- · Spring loaded castors
- · Designed for use with Richmond safety step





ANTI-FATIGUE MAT

BLACK BORDER



- Specifically designed to massage the feet
- Black flexible domed top surface

NEW


600mm x 900mm

39.95 INC GST P/N: FMR001

900mm x 1200mm

0.95 INC GST P/N: FMR002

ANTI-FATIGUE MAT YELLOW BORDER



- Specifically designed to massage the feet
- Black flexible domed top surface

NEW 600mm x 900mm

.95 INC GST P/N: FMR003

900mm x 1200mm

P/N. FMRNN4



AUTO & PRESSURE WASHERS

MATSON

Digital Battery and System Tester

BT400

- 12V batteries
- 12 & 24V starting and charging system
- Easy to read LCD screen
- Reverse polarity protection
- Accurate results in 2 seconds



\$159⁰⁰ GREAT VALUE!



6/12V Battery Charger 4amp

AEE400

- 4A output
- Lithium compatible
- Fully automatic charging
- Zero volt pick up

\$11900 GREAT VALUE!



Multi-Voltage 6/12/24V **Battery Charger**

MA61224

- Variable voltage output 6/12/24V
- 20A output
- Lithium compatible

Power supply function 12/24V

\$39900

Thunderbolt Jump Pack

MA8000

- 2000 CCA @ 12V 1000 CCA @ 24V
- 8000 peak Amps starting power
- 1.7m 50mm² high conductivity

\$1,49900



Jack Stands | Jockey Wheels

Jack Stand 1.75TN

Side Winder Swivel I Tube Mount



also available:

Jack Stand 2TN

Side Winder Swivel | Tube Mount

\$155 #R2105GB







TRAILER SPARES





Klamp It

with lock to suit 195-205 *wheel not included



\$199

COLD WATE

PRESSURE

Spare Wheel Carrier

Suits Ford, HT & LC6



\$4995

LED Plug & Play Wiring loom 7 metres

7pin Flat Plug



\$6900


Chrome Tow Ball

3.5TN | 50mm | Chrome





THERMIC7



P/N: 8.601.0218



- Max. Pump Pressure 2610 PSI Flowrate 8.5LPM Universal Brush Motor 240V (10
- AMP), 2KW (2.9HP)

 8 metre HP hose &

 Quick connection

P/N: 8.107.0015

GREAT PRICE!





- 2175PSI Max Pump pressure

 6.5LPM flowrate max

 8 metre HP hose & hose storage reel

 Detergent pickup hose

 2200W Induction motor

 Variable & Spray Lances

 Turbo nozzles

P/N: 8.104.0024

BEST PRICE!



- Cooling Capacity: 2.0kW / 6800 BTU
 Temperature Range: 20°C 45°C
 Power Supply: 220-240V, 50Hz, 10A Plug
 MAX. Power Consumption: 950W, 4.3A
 Refrigerant: R410A / 330g
 Cool Air Volume: 230m³/H
 Suitable Cooling Area: 5-10 m2
 Condensation Tank Capacity: 3L



P/N: 8.700.0030

RED HOT DEAL!





LUBRICATION & HOSES

macnaught

C1 COMPRESSED **AIR/WATER REEL**

- Working pressure 250 psi
- Max Temperature 60°C
- Hybrid polymer hose
- 1.5m Feed hose included







C1AW412B-01CC



C1 ELECTRICAL **CABLE REELS**

- Automatic spring rewind Thermal overload protection
- 1.5 metre feed cable
- SAA: AS/NZS 3105 Compliant

C1EC10A20D-AU 10A x 20m

GREAT VALUE!





C1 BARRIER REELS

- Tape Lock Off function to maintain barrier tape tension
- Magnetic tape anchor point
- 48mm x 25m Tape

DANGER CAUTION

C1BRW5025Y Red/White Tape





C1BYB5025Y



10mm (3/8") x 15m

R3 COMPRESSED

Pressure Rating - 275 ps

Rubberised reinforced

■ Inlet/Outlet - 3/8"/3/8" BSP

AIR REEL

AR420B-01

1/2" x 20m

PVC hose





R3 OXY/ACET REEL

OA215B-04

5mm x 15m

- Pressure Rating 175 psi
- 5mm twin hose x 15m
- Inlet/Outlet Gas Thread/ Gas Thread







R3 GARDEN HOSE REEL

DR425D-03

1/2" x 25m

- Pressure Rating 150 psi
- Max Temperature 60°C 2m Inlet Feeder hose
- from tap to reel \$409

GREAT VALUE!





LEVERGUN® 450G GREASE GUN K45-01

- Up to 12,000 psi
- KY SUPERGRIP™ 3 jaw high pressure coupler
- Rigid 150mm (6") high pressure steel extension







BOP 20L STARTER KIT BP20S-UNA

- Pump stem, Power Head, Hose and gun assembly, battery pack and charger included in starter kit.
- Suitable for oils up to SAE140 viscosity, automatic transmission fluid (ATF) and engine coolant.





BOP 20L STEM KIT BP20X-UNA

Pump Stem, Hose and gun assembly only.

Suitable for oils up to SAE140 viscosity, automatic transmission fluid (ATF) and engine coolant.







ALL PURPOSE OIL TRANSFER PUMP

MAOP20

- Suitable for oils up to SAE140 / ISO680 viscosity
- Delivers up to 75ml per stroke







RAPIDFLO ROTARY FUEL PUMP

GT-01

- Suitable for use with diesel, ULP, kerosene and oils (up to SAE30)
- Suitable for 60 205L drums
- Delivers 800ml per revolution







T-SERIES OIL PUMP KIT

T312THGE-01

Estimated max flow rate 8 L/min using SAE10 oil Suitable for oils to SAE140, coolants, kerosene, diesel











- Delivers up to 20 LPM (250ml per rev)
- Suitable for diesel, kerosene and mineral oils up to SAE 90









POLY DIESEL TANKS

- Pump Free flow rate 40 LPM
- Duty Cycle 30min
- Hose length 4m x 3/4"

POLY DIESEL TANK - 200L :

L-PDT200





POLY DIESEL TANK - 400L

L-PDT400







HOT DEALS STOREWIDE!

LUBRICATION & HOSES



ALEMLUBE TRIGGER

\$139.00

GREAT VALUE!

ACTION GREASE GUN

- Grease pressures of up to 8,500psi (586bar)
- · Delivers up to 1.1g of grease per stroke
- · Ever-Flow System enables the gun to be used with thick tacky greases even in the coldest conditions



ALEMLUBE AIR OPERATED GREASE GUN

- Delivers up to 182g per minute
- Develops grease pressures of up to 3,290psi (226bar)
- · Flexible extension length of 50cm
- Suitable for use with grease up to NLGI2

SAMOA 205L

378110N

MOBILE OIL TRANSFER KIT

Supplied with 3:1 air operated oil pump, 15m hose reel,

- electronic meter & heavy duty drum trolley commercial vehicle and truck workshops Adjustable flow rates up to 10L/min

SO600

5/8" BSP inlet/outlet

3:1 ratio oil pump suits 205L drums

GREAT VALUE!

- Supplied with 2 x 2Ah batteries & compartmentalised protective plastic carry case
- · Able to dispense up to 16 cartridges before battery recharge is required
- . Battery recharge time of 70 minutes

G100120

20KG 50:1 AIR OPERATED GREASE KIT

- Maximum fluid pressure of 5,800psi (400bar)
- 4m long hose assembly
- Delivers up to 600g/min Tested to up to 24,000kg
- Air inlet pressure from 70psi (5bar)
- to 150psi (10bar) Air consumption of 3.6cfm at 150psi
- Noise level of 82dB
- All types of grease up to NLGI2

\$899.00 GREAT VALUE!



JP-140-PVDF-HC-1000

JESSBERGER 205L CHEMICAL DRUM PUMP KIT WITH POLYPROPYLENE **PUMP TUBE**

- Flow rates of up to 49L/min
- Suitable for hydrofluoric acid, sodium, hydrochloride, sulphuric acid to a concentration of 90%
- Manufactured in Germany

Also available:

JP-180-PVDF-HC -1000 97L/min

JP-280-PVDF-HC -1200 112L/min

GREAT VALUE!

.099.00

GREAT VALUE! 225.00 GREAT VALUE!

ALFMI UBF

GREASE NIPPLE ASSORTMENT KITS

 All grease nipples included in the kit are case hardened, fully chromated, zinc passivated, batch tested to 8,000psi (552bar) and conform to international standards including BSS 1486, DIN 71412, SAE J534 & JIS B1575

Agricultural kit Metric kit

\$**99**.00 GREAT VALUE!

4675 Industrial kit

\$105.00 GREAT VALUE!



Maximum working pressure of 300psi (21bar)

15m x 6mm ID hose & 0.9m lead in hoses

180° hose reel rotation Impact resistant UV stabilised covers

Ideal for back of UTE or service vehicle

Can be mounted on the wall or ceiling

Detachable steel mounting bracket enables

OPEN FLOW TYRE INFLATER LOCK ON AIR CHUCK

- 1/4" BSP(f) thread
- Maximum working pressure of 150psi (10 Bar)
- Suitable for use with automatic tyre inflators, manual tyre inflators, portable pressure gauges & constant pressure systems
- Dimensions of 77mm (L) x 20mm (W) x 35mm (H)

A50007CF

Also available, as above but closed flow



EL SERIES AIR HOSE REEL

- 20M x 12MM ID

- 1/2" BSPT inlet & outlet threads
- Maximum working pressure of 300psi (20bar) Supplied complete with 20m x 12mm ID PVC hose
- & 0.9m lead in hose

 -20°C to +60°C hose working temperature range Highflow swivel & fluid path
- · High quality, impact resistant polypropylene covers
- Latching system enables the hose to be stopped in multiple positions as required
- Can be mounted on the floor, wall or ceiling





mobile use

for maximum durability



Engineered To Perform

hi-tecoils.com.au



FOLLOW US ON FACEBOOK **f**



COMPRESSORS

650 AIR COMPRESSOR

- 668 Lt/min Displacement
- 461 Lt/min F.A.D.
- 2 Cylinder cast-iron pump
- 4.0kW / 5.5HP, 415V **TECO** motor
- 155 litre stationary tank
- Forklift feet



GP19

AIR COMPRESSOR

- Honda 6.5HP engine
- 2-cylinder cast-iron pump
- 512 Lt/min Displacement
- 348 Lt/min F.A.D.
- Auto Idle control
- 60 I t tank
- 10" Pneumatic wheels
- Removable handle

Powered By

HONDA



AIR COMPRESSOR

- 668 Lt/min Displacement
- 461 Lt/min F.A.D.
- 2 Cylinder cast-iron pump
- 3.7kW / 5.0HP motor
- 240V, 20Amp
- 155 litre tank

(High pressure version also available)



AIR COMPRESSOR

- Filter / regulator
- 348 Lt/min Displacement
- 238 Lt/min F.A.D
- 2 Cylinder cast-iron pump
- 1.65kW / 2.2HP motor
- 240V, 10Amp
- 60 litre tank





Peerless Black 2000 Oil-less

- Free Air Delivery: 65LPM
- 2HP Single Phase motor 10AMP
- 91 Air Receiver
- 1 year total unit warranty



MILLAN

Peerless Black 2500 **Direct Drive**

- Free Air Delivery: 154LPM
- 2.5HP Single Phase motor 10AMP
- 30L Air Receiver
- 1 year total unit warranty



Peerless Black 14000 **Belt Drive**

- Free Air Delivery: 220LPM
- 2.5HP Single Phase motor 10AMP
- 50L Air Receiver Max PSI: 145 1 year total unit warranty
- \$415 00287

25M Metal Industrial **Retractable Air Hose Reel**

- 3/8" x 25M Rubber coated PVC air hose
- Full steel construction powder coated 300PSI Working pressure 1/4" BSP fittings 1 year total unit warranty



P14 Electric

- Free Air Delivery: 275 LPM
- 2.75HP Electric motor 10AMP
- 55L Air Receiver
- · Fitted water trap filter regulator
- · Warranty: 5 year pump warranty



PHP15 High Pressure

- Free Air Delivery: 300 LPM
- · High pressure for truck tyre inflation
- · 3.5HP Electric motor 15AMP
- 110L Fatboy Air Receiver Warranty: 5 year pump warranty





\$6999

3HP Single Phase Screw Compressor

- Free Air Delivery: 270 LPM @ 10BAR
- · High pressure for truck tyre inflation
- 99% Duty cycle for constant use
 3HP Electric motor 15AMP
- 110L Fatboy Air Receiver Warranty: 1 year total unit



AUSTRALIA'S FIRST CHOICE FOR QUALITY HOSE, VALVES **AND FITTINGS**







FACEBOOK.COM/TRADESMARTINDUSTRIAL AIR TOOLS, HOSES, GENERATORS & VICES





- Length: 155mm
- Net weight: 0.38kg
- Includes 1/4" & 1/8' collets
- Free speed: 25,000rpm
- · Rated power: 0.3hp

\$1**60**^{.00} GREAT VALUE!

M7-QA111B





- Blows per minute: 3200bpm
- Shank: Round 10.2mm
- Overall length: 175mm • Includes 5 piece Chisel kit

\$**235**^{.00} GREAT VALUE!

M7-SC0517C

AIR NEEDLE SCALER



- Blows per minute: 5500bpm
- Net weight: 1.3kg
- Needle size: 3x123mm (12 per set)
- Overall length: 290m

\$**295**^{.00} GREAT VALUE!

M7-SN1288

AIR HYDRAULIC RIVETER M7



- Nozzle sizes: 2.4, 3.2, 4.0, 4.8mm
- 4.8mm (3/16") Aluminium & steel rivet capacity 4.0mm (5/32") Stainless
- rivet capacity
- Stroke length: 16mm
- Net weight: 1.5kgTraction power: 2303 lbf

\$**319**^{.00} GREAT VALUE!

M7-PA301

ITM AIR

- Durable P.V.C.
- Grease, oil & abrasion resistant
- Nitto style fittings
- Kink proof collar
- Max. pressure: 300psi
- 3/8" I.D



10M

TM300-210

\$**39**.00

\$60.00 GREAT VALUE!

\$**79**.00 GREAT VALUE!

TM300-220

TM300-230

ITM AIR HIGH-FLEX AIR HOSES

- Hybrid polymer high-flex hose
- Anti-kink technology
- Superior all weather flexibility -5°C to 65°C
- Max. pressure: 300psi Hi-visibility for safety
- Nitto style fittings
- 3/8" I.D.



15M

\$**66**^{.00}

TM300-315N

\$99.00 TM300-330N



ITM AIR 20M AIR HOSE REEL

- Hybrid high-flex air hose
- Anti-kink technology
- Auto lock to any length
- Auto retractable
- Hose length: 20m
- Hose I.D.
- 10mm (3/8")
- Hi-visibility for safety









CONSTRUCTION SERIES GENERATORS

- 2x 15A IP66 outlets
- Residual current device
- 2-year warranty Sine wave tech
- T.H.D. <5%
- Handle & wheel kit Push button electric start with remote
- · 25L Fuel tank



13HP 6.8KVA 5500 MAX WATTS

\$2199^{.00} GREAT VALUE!

TM520-5500



15HP 8.1KVA 6500 MAX WATTS

\$2409.00 GREAT VALUE! TM520-6500

17HP 10KVA 8000 MAX WATTS \$2699^{.00}

GREAT VALUE! TM520-8000

(ITM

CONSTRUCTION **SERIES GENERATORS** HIGH QUALITY HONDA ENGINES





- 1x IP66 15A Outlet

- GX200 Engine
- 3.6L Fuel tank · Weight 47kg

6.5HP 3.75KVA 3000 MAX WATTS

\$1**459**.00 GREAT VALUE!

TM522-3000



- GX390 Engine
- 25L Fuel tank Digital multimeter display
- Heavy duty wheel & handle kit



\$2**599**^{.00} GREAT VALUE! TM522-6000



PROFESSIONAL MECHANICS VICES



- Rugged all cast iron construction
- · Integrated anvil for shaping and beating

Part No.	Jaw Width	Weight	Price
TM100-075	75mm	7.5kg	\$109.00
TM100-100	100mm	10.0kg	\$155.00
TM100-125	125mm	15.5kg	\$209.00
TM100-150	150mm	18.0kg	\$249.00
TM100-200	200mm	31.0kg	\$389.00

FABRICATED STEEL BENCH VICES



- knurled jaws with V-Groove Large diameter screw
- · Extra heavy-duty · Precise sliding jaw

Part No.	Jaw Width	Weight	Price
TM104-100	100mm	11.2kg	\$185.00
TM104-125	125mm	20.3kg	\$359.00
TM104-150	150mm	25.0kg	\$385.00
TM104-200	200mm	60.0kg	\$949.00

ITM)

MULTI-PURPOSE BENCH VICE



- Jaw width: 125mm
- Jaw opening: 135mm
- Pipe holding capacity: 25mm 65mm
- Hardened & tempered jaws 60° Rotation with
- safety locking nuts 360° Swivel base
- \$215^{.00} GREAT VALUE! Hardened anvil 18.5kg

TM101-125





Hardened steel jaws

Close grained

cast iron body Offers excellent grip for irregular shapes

due to flexibility of the chain Can be rapidly tightened to provide a very strong grip on the pipe

Part No.	Pipe Diameter	Price
TM115-100	30-100mm	\$125.00
TM115-160	40-160mm	\$259.00
TM115-230	40-230mm	\$375.00





Quality Japanese Air Tools

HOT DEALS STOREWIDE!

FANS & WORKSHOP

Heavy Duty Pedestal Fan 500mm

PN: KP1012



- > 3 Speed, 5 aluminium blades
- 111W Induction motor
- Oscillation & adjustable height 780–1110mm
- > 115m³/min air delivery

\$229.00

Industrial Pedestal Fan 750mm

PN: KP1005



- > 3 Speed, 4 aluminium blades
- 230W Induction motor
- Oscillation & adjustable height 1250-1670mm
- 300m3/min air delivery

\$189.00

Heavy Duty Floor Fan 500mm

PN: KP1011



- 3 Speed, 5 aluminium blades
- 111W Induction motor
- Adjustable tilt
- 110m3/min air delivery

FANMASTER

INDUSTRIAL PORTABLE AIR CONDITIONERS BUILT FROM HEAVY DUTY STEEL

2 Fan Speeds Portable on Wheels Adjustable Cooling Arms Overload Protection

Automatic Restart & Short Cycle Protection

IAC-27 INDUS PORT AIR CON 2.7KW 240V IAC-45 INDUS PORT AIR CON 4.5KW 240V IAC-65 INDUS PORT AIR CON 6.5KW 240V

PART NO.	DESC.	PRICE INC GST
IAC-27	2.7KW	\$1,799.00
IAC-45	4.5KW	\$3,499.00
IAC-65	6.5KW	\$4,599.00



AIR COOLER PORT AXIAL 0.125KW DC MOTOR

240V 2 Pin 10A Plug DC Motor 9 Speeds 3-sided Air Inlet Fan Only Option

HOT BUY! Touch LED Control Panel Automatic Swing Louvres Full Function Remote Control Up to 30m² Cooling Area



LVRD WALL EXHAUST 200MM 8

240V Hardwired Perfect for Workshops & Garages Gravity Louvres to stop rain & Reverse

PART NO.	DESC.	PRICE INC GST
IWEL200	200MM	\$169.00
IWEL250	250MM	\$189.00
IWEL300	300MM	\$209.00
IWEL350	350MM	\$249.00
IWEL400	400MM	\$299.00



PRICED FROM.

IWFI 200

Holemaker

PRO 42 MAGNETIC DRILL

- Durable & Versatile European Made Machine
- Lightweight, only 12.5kg Large 165mm stroke
- Capacity (diameter) 42mm Capacity (depth) 52mm
- Gravity feed coolant system with magnetically attached bottle
- Optional twist drill chuck
- Plastic carry case





Multitool

200MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT



- induction motor
- Capacitor start for maximum performance
- 915mm x 50mm belt
- 178mm disc
- 25mm wide grinding whee
- Durable cast iron body
- Heavy-duty tool rest

\$489.00 GREAT VALUE!

P0362-200

Multitool

1220 x 100mm BELT & DISC GRINDING



- Suits most 200mm & 250mm bench grinders
- Ideal for sharpening, sanding, polishing &
- 178mm sanding disc



\$**629**^{.00}

P0484

Multitool

MITRE TABLE ATTACHMENT



- Suitable for grinding ends square and adjusting lengths and angles
- For use with all Multitool models
- Table can be tilted

up 5°, down 50°

Table size 110 x 204mm

Abbott & Ashby

- 360 degree no tools rotation
- Watts: 280 Volts: 240 Amps: 1.8 175mm diameter 100 grit Disc
- · Fully Adjustable Tool Rests Sealed for Life ball bearing
- · Vibration absorption on base
- · Dust Cover On/Off Switch
- · Capacitor Start Stop Motor
- · 915x50mm 240 grit Belt
- · 89mm Contact Wheel
- Table can be tilted up 10"and down 45"
- Fits both 6"& 8"Bench Grinder
- 110 x 204mm
- · Assembly required, simple 2 bolt attachment

· Mounting Holes, Cast Iron Body



Bench Grinder, Linisher & Mitre Table



*Linisher factory fitted





*Bolt on Mitre attachment

DRILLING, CUTTING & ABRASIVES

sutton

Superior Since 1917



COBALT

\$47500 P/N: D109 SM3

25pc Cobalt Drill Set

- 1.0 13.0mm × 0.5
- 135° Split point
- Ideal for cast iron, bronze, hard seel & stainless steel
- · Made from HSS Co.



XONI

\$28900 NO 681

25pc INOX Drill Set

- 1.0 13.0mm × 0.5
- 70% more life in stainless steel than standard drill bits
- Futura nano PVD coated tip



\$14900

10pc Left Hand Cobalt Drill Set

- 1.0 10.0mm × 1.0
- Suitable for general-purpose drilling and can also be used to drill out broken bolts

Superior Since 1917

sutton



Cutting Lubricants

- Reduces torque and friction
- Extends tool life and Improves surface
- Suitable for drills, taps, endmills, holesaws and more





Paste 400g



\$2095 INC 6ST P/N: M800 0300

Spray 300g



\$1495 NIC 65T P/N: M800 0250

Fluid 250ml



\$17900 INC 6ST P/N: M800 4000

Fluid 4L

sutton



9pc Bi-Metal Cobalt Holesaw Set – Electrician

• 16, 20, 22, 25, 32, 40, 51, 60 and 92mm



10pc Bi-Metal Cobalt Holesaw Set – General Purpose

• 16, 19, 22, 25, 29, 32, 35, 38,

44 and 51mm



5pc TCT Holesaw Set

- 16, 20, 25, 32 & 40mm
- · TCT teeth precision ground.



\$17900 INC 65T P/N: H119 57

Superior Since 1917

7pc Impact Bi-Metal Holesaw Set

- 19, 22, 25, 29, 32, 35 & 38mm
- 1/4" Hex Shank



A60TZ SPECIAL Cutting disc - 125mm

High performance cutting off wheel for processing thin walled sections, pipes and small cross sections. Excellent cutting performance and long tool life. Suitable for cutting steel & stainless steel (inox).



A OF

\$395 P/N: 328782



A24 EXTRA Grinding disc - 125mm

Standard disc with excellent price-performance ratio. For universal use in metalworking. Excellent results on all standard angle grinders.



125mm - **259044** - *\$18.95* 180mm - **318745** - *\$34.95*

NCD200 Clean & strip disc

Special SiC non-woven web for cleaning of surfaces and removal of heat tinting/ blueing. No clogging due to open structure. For the removal of paint and rust.

SHOP SMART - BUY SMART

DRILLING & CUTTING

sutton

Superior Since 1917





25+1pc M2 **HSS Blue Drill Set**

- Metric Sizes: 2.0 - 13.0mm
- Bonus 16.5mm Countersink



200pc HSS Bright Drill Set

- Metric Sizes: 1.0 6.0mm x 0.5mm rises + 3.2, 4.2, 8.0, 10.0, 12.0mm
- Imperial Sizes: 5/64 7/32 x 1/64 rises + 1/4, 5/16, 3/8, 1/2



Size

Metric

M5 × 0.8

M6 × 1.0

M8 × 1.25

Smart Chamfer

- Tungsten carbide for rod size 13-35mm
- Hex shank fits standard power drills



S10900

Quickbit **Nibbler**

Attachment

- · Straight or curve cutting of sheet materials (up to 2.0mm thick)
- 1/4 Hex shank

sutton



Thread Repair Kits

- · HSS Drill Bit
- · HSS Intermediate STI Tap
- · Thread Inserts
- · Installation Tool
- · Magnetic Tang Removal Tool
- · Installation Instructions











Item#

RC35058

RC35068

RC35088

RC35108

RC35128



Price Inc GST

\$61.00

\$61.00

\$73.00

\$93.00

\$116.00

Superior Since 1917

Size	Item#	Price Inc GST
UNC		
1/4-20	RC33048	\$64.00
5/16-18	RC33058	\$69.00
3/8-16	RC33068	\$85.00
7/16-14	RC33078	\$99.00
1/2-13	RC33088	\$109.00

Rethink Thread Repair. Think Recoil®



5 Piece Double Cut Burr Set

SB-3 Cylindrical End Cut

SC-3 Cylindrical Ball

SC-5 Cylindrical Ball

SF-3 Tree Radius

SF-5 Tree Radius

3 Piece Double Cut Burr Set

SB-3 Cylindrical End Cut

SC-3 Cylindrical Ball SF-3 Tree Radius













A60TZ SPECIAL Cutting disc - 125mm thins in tins

Free of iron, sulphur and chlorine. Fast cutting. Minimal burr formation. Low thermal load. 10 pieces in a tin with viewing





350mm - **334063** - \$389.00 400mm - 349238 - \$469.00

DT900US SPECIAL Segmented blade

All-purpose high-performance tool. Engineered for professional use. Ideally suited for low noise work environments thanks to sandwich core.





Steel - 358335 - \$17.95 Inox - 358340 - \$29.95

BT600Z Twist knot cup brush - 65mm x M14

For aggressive brushing work on large, flat surfaces. Stable knotted wire design for easy cleaning and removal of slag, rust, scale and concrete residue.

ABRASIVES

PFERD

Chopsaw Wheel 350mm (14")

- High economic efficiency
- Long tool life
- High cutting performance
- Minimized burr formation
- For multi-purpose cutting work





POLIFAN STRONG STEEL 125mm (5")

- Long tool life
- Extreme stock removal



POLIFAN **STRONG**

General Purpose Flap Discs





• Less pressure works better

• No flange required





Tradie Pack 10 Wheels

- Suits cordless angle grinders
- Free of iron, sulphur & chlorine
- Handy storage pack





General Purpose 125mm (5") x 1.0mm Ultra-Thin Cut-Off Wheel



C3 PLUS Burr Sets 1/4" Shank

- Provides smooth operation action
- Prevents chatter marks
- Increases stock removal





- 2 x Cylindrical
- 3 x Cylindrical Radius
- 1. x Ball
- 1. x Oval
- 1. x Pointed Tree
- 2 x Tree Radius









ABRASIVES, TAPES & POWER TOOLS

flex vit



NORTON

FLEXOVIT Mega-Line Inox Cutting Off Wheel



\$2⁹⁵

66253371090 125 x 1.0 x 22.2mm

- · Coarse aluminium oxide grain provides fast
- · Hard wheel grade for long product life

Multi Material 10 Pack 🔪



66252845963 125 x 1.0 x 22.23mm

- Ultra thin premium cut
- · For cutting stainless steel, metal. masonry
- aluminium, PVC, tiles, rubber
- Fast, straight cutting

NORTON CLIPPER TT200EM Tile Saw 230V



70184625701 200mm

- Compact and portable tile saw
- Suitable for tiles and similar hard materials
- · Diamond Blade included

NORTON **Bear-Tex Hand Pad**



66261074700 150 x 230mm - Maroor \$2.95 66261079600 150 x 230mm - Green \$2.95 66261074800 150 x 230mm - Grev \$2.95

\$295

- · Conforms to contours of the work surface and provides a uniform finish
 Easily removes burrs without affecting the

NORTON

NORTON Non-Oil Stone Silicone Carbide PVC Duct Tape



66253183008 30 x 80 x 230mm Quick edge shaping with minimal loading

- · Coarse/Fine silicon carbide combination stone
- for sharpening and finishing

BEAR General Purpose



- \$4.95 63642583589 48mm x 30m - Black 63642548313 48mm x 30m - Grey Excellent stretch, conformability and durability
- Strong adhesive backing on PVC

BEAR General Purpose Cloth Tape



- Made from a strong, flexible cloth backing yet conforms to irregular surfaces
- · More colours available

BEAR Grizziv Gaffer Tape



63642548237 50mm x 20m - Silver \$19.95 · Heavy grade cloth backing constructed with 80

mesh. Fasy to tear by hand. Aggressive rubber based adhesive for strength and flexibility







See Makita.com.au/promotions for details, claims, terms & conditions



40V Max Brushless 2 Piece Combo Kit

- Kit includes: HP001GZ, TD001GZ
- 2x BL4040, DC40RA & Tote Bag (832319-7)



40V Max Brushless 6 Piece Combo Kit

- Kit includes: HP001GZ, TD001GZ, GA005GZ, HR001GZ, HS003GZ, JR001GZ
- 2x BL4040, DC40RA & Tool Bag (832367-6)



18V Brushless 2 Piece Combo Kit

- Kit Includes: DHP486Z. DTD1727
- 2x BL1850B, DC18RC & Carry Case



18V Brushless 5 Piece Combo Kit

- Kit includes: DHP486Z, DTD154Z, DGA504Z, DHR242Z.DHS680Z
- 2x BL1850B, DC18RC & Carry Bag (199936-9)



18Vx2 Brushless 460mm Lawn Mower Kit

- Includes 3x 5.0Ah batteries & same time dual port rapid charger
- 18" heavy duty steel deck



18Vx2 Brushless Multi-Function Powerhead, Pole Hedge and Saw Kit

- Inc: Ext Pole, Hedge Trimmer, Pole Saw Attachment, 2x BL1850B & DC18RD
- Bonus EM409MP Line Trimmer Attachment

HOT SUMMER DEALS

POWER TOOLS

metabo

CORDLESS REDEMPTION OFFERS FOR PURCHASES \$699 AND OVER

For details, terms, conditions or to redeem, scan the QR code or visit metabo.com/redemptions.









30 Litre H-class wet & dry vacuum cleaner with CordlessControl AS 36-18 H 30 PC-CC

- 2 x 10.0 Ah LiHD Battery Packs
- ASC 145 DUO Air-cooled Fast Charger

240V L-CLASS WET & DRY VAC 30 L



- · Certified for L-class dusts - 99% filter efficiency
- Built-in power socket for tools provides automatic vacuum start/stop
- Manual filter cleaning
- Air output max. 4200 l/min · Vacuum 225 hPa (mbar)

240V M-CLASS WET & DRY VAC 30 L 602087190



- · Certified for M-class dusts - 99.9% filter efficiency Built-in power
- socket for tools provides automatic vacuum start/stop
- Manual filter cleaning Anti-static basic equipment
- Air output max. 4200 l/min
- · Vacuum 225 hPa (mbar)



GREAT VALUE!

240V H-CLASS WET & DRY VAC 30 L



- Certified for H-class dusts - 99.995%
- filter efficiency Built-in power socket for tools provides automatic vacuum start/stop
- Manual filter cleaning
- Anti-static basic equipment
 Air output max. 4200 l/min
- Vacuum 225 hPa (mbar)

2 x 18V CAMPING KIT

\$1449

AMAZING KIT!

GREAT VALUE!

300 Nm

IMPACT WRENCH SSW 18 LT 300 BL 18V BRUSHL

5.5 Ah BATTERY

TWIN PACK

2 x 18V H-CLASS WET & DRY VAC 30 L





- dusts 99.995% filter efficiency
- CordlessControl function provides remote/vibration activated vacuum start/stop for use with power tools

Manual filter cleaning

redeem[†]

\$1099 GREAT VALUE! · Anti-static basic equipment

18V SLIDING MITRE SAW KIT 254 mm



ALI68308100 MET36-18BL32HD5.5PC



- MS 36-18 LTX BL 40 Inflator AK 18 MULTI 2000 Im Site Light BSA 12-18 LED 2000
- 2 x 5.5 Ah LiHD Battery Packs · ASC 145 DUO Air-cooled Fast Charger

5.5 LiHD TP

ECIAL REDEMPTION

offers pictured. Applies to AU68308100

18V 1/2" IMPACT WRENCH 1450 Nm

602401850 SSW 18 LTX 1450 BL BRUSHLESS



- 1/2" square drive with friction ring
- Max. screw size: M30 Max. fastening torque: 1450 Nm
- Max. loosening torque: 1900 Nm
- 12 Speed/Torque Levels (including APS & Power



18V DIE GRINDER

600826850 GVB 18 LTX BL 11-28 BRUSHLESS



\$349 GREAT VALUE!

18V DIE GRINDER

600827850 GVPB 18 LTX BL 11-28 BRUSHLESS



· Deadman/Paddle Switch

12V / 18V WORKSITE **DIGITAL RADIO / CHARGER**

600779190 RC 12-18 32W BT DAB-



Metabo battery pack & mobile device charging • IP 54 - splash, dust-proof

GREAT VALUE!

*With online registration. ‡Special Redemption pictured is only available when purchasing the AU68308100 (2 x 18 V Camping Kit)

HOT DEALS STOREWIDE!

POWER TOOLS





AUTHORISED RETAIL PARTNER























WHEN HEAVY DUTY MATTERS!

POWER TOOLS





AUTHORISED RETAIL PARTNER

PN: 48221590

COMPACT KNIFE SHARPENER



GREAT BUY!



PN: 48228311 **PACKOUTTM** STRUCTURED 10" **OPEN TOTE BONUS VIA REDEMPTION 48228435 BONUS** PACKOUTTM COMPACT ORGANISER REDEEM







PN: 48229010



GREAT DEAL!

PN: 49667015

SHOCKWAVETM 1/2" DRIVE METRIC DEEP 6 POINT IMPACT







GREAT DEAL!





PN: 48227224 **ALUMINIUM PIPE WRENCH 600MM (24")** WITH BONUS 48226708



PN: 49667830

SHOCKWAVETM 1/2" DRIVE LUG NUT SOCKET 3PC SET



PN: 48324048

SHOCKWAVETM DRILL, DRIVE AND FASTENING 75PC SET



PN: 49667055

SHOCKWAVE™ 3/4" DRIVE **METRIC DEEP 6 POINT** IMPACT SOCKET 8PC SET

NOW AVAILABLE! OFFER VALID FROM 8TH JANUARY TO THE 31ST MARCH. REDEMPTIONS Terms and Conditions apply, see website for details. Offers valid during the promotional period 8th January 2024 until 31st March. Online redemption must be claimed by 31st March 2024. Please allow up to 8 weeks for delivery. https://www.milwaukeetool.com.au/terms-and-conditions-redemption.html

LOW US ON FACEBOOK f





2.8 kVA Honda Powered Petrol Generator, with BONUS cover

• Reliable Honda GP200 engine



8 kVA Lister Petter Generator with E-Start, **Complete Transport Kit**

- Petrol generator with E-Start
- Automatic voltage regulator





8 kVA Honda Powered Petrol Generator, with RCD and E-Start

DGUH7ES-2-RCD2





Premium Quality M2-HSS Jobber Drill Sets

25 Piece Metric 1.0-13.0 x 0.5mm rises. 2007-M3-SDM1 Bright Finish \$175.00 2003-M3-SDM1 Black Finish \$175.00 29 Piece Fractional 1/16-1/2" x 1/64" rises





HONDA









BONUS 120m Suitable for impact drivers

Drill Set



25 Piece Gold Series Metric **Drill Set** BONUS 120m

ALPHA LIQUID GOLD 120ML CUTTING FLUID WITH EVERY ALPHA DRILL SET ADVERTISED

> 1.0 - 13.0mm in 0.5mm increments



29 Piece Gold Series Imperial **Drill Set**

BONUS 120m /16 - 1/2" in /64" increments

\$22900



100 Piece Gold Series Metric **Drill Set BONUS** 120m

1.0 - 10.0mm in 0.1mm increments

KNIPEX

KNIPEX Cobra® and **Pliers Wrench Value**

Pack KBP112

- > Contains two popular gripping pliers: 87 01 250 Cobra® Water Pump Pliers 250mm 86 03 180 Pliers Wrench 180mm
- **BONUS Knipex Stubby Holder!** Premium quality, 100% Australian made













KNIPEX PlastiCut®

- For cutting thin walled plastic pipes (conduit plastic pipes) and flexible hoses, also with fabric reinforcement (plastic or rubber) up to Ø 25mm / 1"
- Not suitable for cutting cables

KNIPEX Quality - Made in Germany

Siphon and Connector Pliers 81 01 250



- Fine adjustment at the press of a button
- Ideal for tightening & loosening siphon screw connections, plastic pipe fittings & round union nuts up to Ø 80mm

PH. 1300 655 363

Serrated gripping jaws







